

### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Version: 1.1

Date of issue: 02/07/2015 Revision date: 06/02/2024

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Liquid

Product name : XL-08 Accelerator
Synonyms : XL-08 Accelerator
Product group : Trade product

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Function or use category : Disinfectant

#### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

Bromoco International Ltd Tanya House Unit 1 I-Worx, Innovation Way, Wootton, Bedfordshire, MK43 9SP

sales@bromocointernational.com - www.bromocointernational.com

#### 1.4. Emergency telephone number

+44 (0)800 634 9711

### **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

Classification under CLP: Skin Irrit. 2: H315; STOT SE 3: H335;

Acute Tox. 4: H302+H332; Eye Dam. 1: H318

Most important adverse effects: Causes serious eye damage. Harmful if swallowed

or if inhaled Causes skin irritation. May cause respiratory irritation.

#### 2.2. Label elements

Hazard statements: Hazard pictograms: H318: Causes serious eye damage. GHS05: Corrosion

H302+H332: Harmful if swallowed or if inhaled

H315: Causes skin irritation.

H335: May cause respiratory irritation.



Signal words: Danger

### Precautionary statements:

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

GHS07: Exclamation mark

P261: Avoid breathing vapour/spray.

P302+P352: IF ON SKIN: Wash with plenty of water.

P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for

breathing.

P403+P233: Store in a well-ventilated place. Keep container tightly closed.

P405: Store locked up.

P501: Dispose of contents and container to hazardous or special waste collection point,

in accordance with local, regional, national and/or international regulation.

Haz. ingredients (label): HYDROGEN PEROXIDE SOLUTION...2% - 4%

### 2.3. Other hazards

**PBT:** This product is not identified as a PBT/vPvB substance.

06/02/2024 EN (English) 1/8



### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Date of issue: 02/07/2015 Revision date: 06/02/2024

Version: 1.1

### **SECTION 3: Composition/information on ingredients**

### 3.1. Substance

Not applicable

### 3.2. Mixture

EINECS	CAS	PBT / WEL	CLP Classification
231-765-0	7722-84-1	-	Ox. Liq. 1: H271; Acute Tox. 4: H332; Acute Tox. 4: H302; Skin Corr. 1A:H314
Percent			
2-4%			

### Hazardous ingredients:

HYDROGEN PEROXIDE SOLUTION

06/02/2024 EN (English) 2/8



### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Date of issue: 02/07/2015 Revision date: 06/02/2024 Version: 1.1

#### **SECTION 4: First aid measures**

#### **Description of first aid measures**

Skin contact: Wash immediately with plenty of soap and water. Get medical attention immediately.

Eye contact: Bathe the eye with running water for 15 minutes. Remove any contact lenses and open eyelids wide apart. Get medical attention immediately. Continue to rinse.

Wash out mouth with water. If vomiting occurs, the head should be kept low so that stomach vomit doesn't enter the lungs Do not Inaestion: induce vomiting. Transfer to hospital as soon as possible.

Inhalation: Remove casualty from exposure ensuring one's own safety whilst doing so. Consult a doctor.

#### Most important symptoms and effects, both acute and delayed

Skin contact : There may be mild irritation at the site of contact. Causes skin irritation.

Eye contact : Causes serious eye damage. Ingestion : Harmful if swallowed.

Inhalation : Harmful by inhalation. May cause irritation to respiratory system. Delayed / immediate effects : Immediate effects can be expected after short-term exposure.

### Indication of any immediate medical attention and special treatment needed

Immediate / special treatment: Treat symptomatically.

### SECTION 5: Firefighting measures

#### **Extinguishing media**

Suitable extinguishing media : Suitable extinguishing media for the surrounding fire should be used. Use water spray

to cool containers. Do not use water jet as an extinguisher, as this will spread the fire.

### Special hazards arising from the substance or mixture

Exposure hazards: Containers can burst violently or explode when heated, due to excessive pressure build-up. Keep away from combustible materials.

### **Advice for firefighters**

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

#### **SECTION 6: Accidental release measures**

### Personal precautions, protective equipment and emergency procedures

Personal precautions : Refer to section 8 of SDS for personal protection details. Avoid skin and eye contact. Keep

away from heat, sparks and open flame. Ventilate well, avoid breathing vapours.

### **Environmental precautions**

**Environmental precautions** : Do not discharge into drains or rivers. Contain the spillage using bunding. Spillages or uncontrolled discharges into watercourses must be immediately alerted to the Environmental Agency or other appropriate regulatory body.

### Methods and material for containment and cleaning up

: Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for Clean-up procedures disposal by an appropriate method. Wash the spillage site with large amounts of water.

### Reference to other sections

Reference to other sections 8.

### **SECTION 7: Handling and storage**

### **Precautions for safe handling**

Handling requirements Avoid direct contact with the substance. Avoid skin and eye contact. Avoid open flames and sources of ignition Static electricity and the formation of sparks must be prevented.

### Conditions for safe storage, including any incompatibilities

: Store in a cool, well ventilated area. Keep container tightly closed. Keep away from Storage conditions direct sunlight. Keep away from oxidising materials, heat and flames.

#### 7.3. Specific end use(s)

No data available

06/02/2024 EN (English) 3/8



### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Date of issue: 02/07/2015 Revision date: 06/02/2024

Version: 1.1

### SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### Workplace exposure limits:

#### Respirable dust

State	8 hour TWA	15 min. STEL	8 hour TWA	15 min. STEL
EU	1ppm 1.4mg/m3	2ppm 2.8mg?m3	-	-

### Hazardous ingredients:

#### **HYDROGEN PEROXIDE SOLUTION...100%**

### Workplace exposure limits:

### Respirable dust

State	8 hour TWA	15 min. STEL	8 hour TWA	15 min. STEL
UK	1.4 mg/m3	2.8 mg/m3	-	-

### **DNEL/PNEC Values**

#### HYDROGEN PEROXIDE SOLUTION

Туре	Exposure	Value	Population	Effect
DNEL	Inhalation	3 mg/m3	Workers	Local
DNEL	Inhalation	1.93 mg/m3	Consumers	Local
PNEC	Fresh water	0.0126 mg/l	-	-
PNEC	Marine water	0.0126 mg/l	-	-
PNEC	STP	4.66 mg/l	-	-
PNEC	Intermittent release	0.0138 mg/l		-
PNEC	Sediment (Freshwater)	0.047 mg/l	-	-
PNEC	Sediment (Marinewater)	0.047 mg/l	-	-
PNEC	Soil	0.0023 mg/kg	-	-

### 8.2. Exposure controls

Engineering measures
Respiratory protection

: Ensure there is sufficient ventilation of the area.

: Respiratory protection not required. In case of insufficient ventilation, wear suitable respiratory equipment. Combination filter, type A2/P2. EN 136/140/141/145/143/149.

Hand protection

: The most suitable glove must be chosen in consultation with the gloves supplier, who can inform about the breakthrough time of the glove material For exposure up to 8 hours, wear gloves made of the following material: Butyl rubber. (0.7 mm) Rubber (natural, latex). (1.00 mm) Nitrile rubber. (0.33 mm) To protect hands from chemicals, gloves should comply with European Standard

Eye protection

: manufactured/ tested in accordance with EN 166 Safety glasses with side-shields.

Skin and body protection

: Protective clothing.

06/02/2024 EN (English) 4/8



### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Date of issue: 02/07/2015 Revision date: 06/02/2024 Version: 1.1

### **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

Physical state: LiquidAppearance: Liquid.Colour: Colourless.Odour: Pungent.

Odour threshold : No data available
pH : Concentrated: 2.0
Relative evaporation rate (butylacetate=1) : No data available

Melting point : - 33 °C

Freezing point : No data available Boiling point : 108 (35%) @760mmHg Flash point : No data available Auto-ignition temperature : No data available Decomposition temperature No data available Flammability (solid, gas) No data available Vapour pressure 1 hPa @ 30C Relative vapour density at 20 °C : No data available

Relative density : 1.1 - 1.2

Density : No data available Solubility : Soluble in water

Log Pow : -1.57

Viscosity, kinematic : No data available
Viscosity, dynamic : 1.17 mPas @ 20C
Explosive properties : No data available
Oxidising properties : No data available
Explosive limits : No data available

### 9.2. Other information

Molecular weight: 34

### **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

Stable under recommended transport or storage conditions.

### 10.2. Chemical stability

Stable under normal conditions.

#### 10.3. Possibility of hazardous reactions

May detonate when in mixing with organic substances and under certain conditions contact with metals and its salts may result in catalyzed decomposition 7. Heavy metals and their salts Copper. Chromium. Nickel. Lead. Iron. Dusty powder. Kerosene.

### 10.4. Conditions to avoid

Avoid heat, flames and other sources of ignition Light.

### 10.5. Incompatible materials

Keep away from combustible materials Strong oxidising agents. Strong acids. Strong bases. Strong reducing agents. Metals Metal oxides.

### 10.6. Hazardous decomposition products

In combustion emits toxic fumes. Oxygen.

06/02/2024 EN (English) 5/8



## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Version: 1.1

Date of issue: 02/07/2015 Revision date: 06/02/2024

### SECTION 11: Toxicological information

11.1. Information on toxicological effects

### Hazardous ingredients:

### **HYDROGEN PEROXIDE SOLUTION...100%**

ORL	MUS	LD50	2	gm/kg
ORL	RAT	LD50	376	mg/kg
SKN	RAT	LD50	4060	mg/kg

### Relevant hazards for product:

Hazard	Route	Basis
Acute toxicity (ac. tox. 4)	INH ING	Hazardous: calculated
Skin corrosion/irritation	DRM	Hazardous: calculated
Serious eye damage/irritation	OPT	Hazardous: calculated
STOT-single exposure	INH	Hazardous: calculated

### Symptoms / routes of exposure

**Skin contact:** There may be mild irritation at the site of contact. Causes skin irritation.

Eye contact: Causes serious eye damage.

Ingestion: Harmful if swallowed.

**Inhalation:** Harmful by inhalation. May cause irritation to respiratory system.

**Delayed / immediate effects:** Immediate effects can be expected after short-term exposure.

06/02/2024 EN (English) 6/8



### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Date of issue: 02/07/2015 Revision date: 06/02/2024 Version: 1.1

### **SECTION 12: Ecological information**

#### 12.1. Toxicity

No additional information available

#### 12.2. Persistence and degradability

Rapidly biodegradable.

#### 12.3. Bioaccumulative potential

No bioaccumulation potential. Partition coefficient log Pow: -1.57

#### 12.4. Mobility in soil

Soluble in water. Henry's law constant: 0.00075 Pa m³/mol @ 20°C

Surface tension: 75.7 mN/m @ 20°C

#### 12.5. Results of PBT and vPvB assessment

This product is not identified as a PBT/vPvB substance

#### 12.6. Other adverse effects

No additional information available

### **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

Disposal operations : Car

: Can be disposed as waste water according to local regulation.

Disposal of packaging

: Do not puncture or incinerate, even when empty. This material and its container must be disposed of as hazardous

waste.

NB : The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

### **SECTION 14: Transport information**

#### 14.1. UN number

UN2014

### 14.2. UN proper shipping name

XL-08, AQUEOUS SOLUTION

### 14.3. Transport hazard class(es)

5.1 (8)

### 14.4. Packing group

### Packing group: II

#### 14.5. Environmental hazards

Dangerous for the environment : No Marine pollutant : No

Other information : No supplementary information available

### 14.6. Special precautions for user

Special precautions: No special precautions.

Tunnel code: E

Transport category: 2

### 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

06/02/2024 EN (English) 7/8



### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Version: 1.1

Date of issue: 02/07/2015 Revision date: 06/02/2024

### **SECTION 15: Regulatory information**

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Not applicable.

#### 15.2. Chemical safety assessment

A chemical safety assessment has not been carried out for the substance or the mixture by the supplier.

### **SECTION 16: Other information**

Other information: according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

\* indicates text in the SDS which has changed since the last revision.

#### Phrases used in s.2 and s.3:

H271: May cause fire or explosion; strong oxidiser.

H302: Harmful if swallowed.

H302+H332: Harmful if swallowed or if inhaled

H314: Causes severe skin burns and eye damage.

H315: Causes skin irritation.

H318: Causes serious eye damage.

H332: Harmful if inhaled.

H335: May cause respiratory irritation.

**Legal disclaimer:** The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.

SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product

06/02/2024 EN (English) 8/8